

利尻研究

利尻町立博物館年報 第27号 2008年3月

五十嵐八枝子: 利尻島の種富湿原における後期完新世の植生変遷史	1
石川路子・佐藤雅代・福重元嗣: 財政支出と観光客が利尻島経済に与える効果について	9
佐藤雅彦・長谷川英男・前田喜四雄・村山良子:	
モモジロコウモリの耳介皮膚に寄生する特異な嚢状線虫(予報)	17
佐藤雅彦: 移入種としての利尻島未記録のイチリンソウ属2種(キンポウゲ科)	21
佐藤雅彦・佐々木伸宏: 利尻山登山道にて拾われたヒメホオヒゲコウモリ	25
佐藤雅彦・村山良子・前田喜四雄・出羽 寛: 美深町におけるコウモリ類の分布	27
山谷文人: 利尻島鴛泊における袋澗の測量調査	33
佐藤雅彦・茂木幹義: 日本産鳥類および翼手目から得られた吸血性双翅目の記録(双翅目: シラミバエ科、クモバエ科、コウモリバエ科)	41
前田喜四雄・佐藤雅彦:	
利尻島における樹洞内温度と外気温の比較 - 冬の樹洞がコウモリのねぐらとなる可能性 -	49
小杉和樹: 利尻島におけるシマゴマ <i>Luscinia sibilans</i> の標識記録	61
大石善隆・山田耕作: 利尻島産のタイ類とツノゴケ類	63
田牧和広: 利尻島沿岸部におけるアビ <i>Gavia stellata</i> の観察記録	73
平成18年度活動報告	75

利尻研究

利尻町立博物館年報

第 27 号

利尻町立博物館
2008 年 3 月

利尻研究（利尻町立博物館年報）第 27 号

平成 20 年 3 月 31 日発行

編集・発行 利尻町立博物館

〒 097-0311 北海道利尻郡利尻町仙法志字本町 136

Tel. 0163-85-1411 Fax 0163-85-1282

印刷 北海道大学生生活共同組合，印刷・情報サービス部，札幌

Rishiri Studies

No. 27 (2008. Mar.)

CONTENTS

Igarashi Y.:

Late Holocene Vegetation History in Tanetomi Wetland, Rishiri Island, Hokkaido..... 1

Ishikawa N., M. Sato & M. Fukushige:

Impacts of Tourism and Fiscal Expenditure on the Rishiri Island's Economy.....9

Satô M., H. Hasegawa, K. Maeda & Y. Murayama:

Peculiar Cystic Nematodes Parasitic in Ear Skin of the Japanese Large-footed Bats 17

Satô M.: Two Unrecorded Anemone's Flowers (Family Ranunculaceae) from Rishiri Island as Alien Species..... 21

Satô M. & N. Sasaki:

An Ikonnikov's Bat, *Myotis ikonnikovi*, Found on a Mountain Trail of Mt. Rishiri25

Satô M., Y. Murayama, K. Maeda & H. Dewa:

Distribution of Bats in Bifuka, Northern Hokkaido27

Yamaya F.: The Survey of Fukuroma at Oshidomari, Rishiri Island33

Satô M. & M. Mogi: Records of Some Blood-Sucking Flies from Birds and Bats of Japan (Diptera: Hippoboscidae, Nycteribiidae and Streblidae) 41

Maeda K. & M. Satô: A Comparison between the Temperatures Inside and Outside of Two Tree Hollows in Rishiri Island, Northern Hokkaido. - The Possibility of Using Tree Hollows as Bat Roosts in Winter -49

Kosugi K.: A Banding Record of Rufous-tailed Robin, *Luscinia sibilans*, from Rishiri Island, Northern Hokkaido 61

Ooishi Y. & K. Yamada: Liverwort and Hornwort from Rishiri Island, Hokkaido..... 63

Tamaki K.: Observational Records of Red-throated Diver, *Gavia stellata*, from Coastal Shores of Rishiri Island, Northern Hokkaido73

Proceedings of Rishiri Town Museum (2006. Apr. - 2007. Mar.) 75

Rishiri Town Museum

Senhoshi, Rishiri Is., Hokkaido, 097-0311 JAPAN